FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}		
Facility Site Basic identification info	Facility Site Basic identification information for a facility site, including the facility registry identifier, geographic address, and geopolitical descriptors.				
Facility Registry Identifier	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.	A(12)			
State Facility Identifier	The unique identification number used by a state to identify a facility site.	A(12)			
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	TRI_FACILITY. FACILITY_NAME		
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	TRI_FACILITY. STREET_ADDRESS		
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)			
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for United States Postal Service (USPS) mail delivery.	A(60)	TRI_FACILITY.CITY_NAME		
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	TRI_FACILITY. STATE_COUNTY_FIPS_CODE		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	TRI_FACILITY. COUNTY_NAME
State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	TRI_FACILITY.STATE_ABBR
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	
Country Name	The name that represents a primary geopolitical unit of the world. Default: USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	TRI_FACILITY.ZIP_CODE
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government.	A(1)	'Y' {If TRI_FACILITY. ASGN_FEDERAL_IND in ('F', 'G')} Else, 'N'
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.	A(1)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Congressional District Number	The number that represents a Congressional District for a state within the United States.	A(2)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Cataloging Unit (HUC) Code	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	
EPA Region Code	The code that represents an EPA region.	A(2)	TRI_FACILITY.REGION
Airshed Code	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.		
Census Block Code		A(15)	
Facility Site Type Name	The descriptive name for the type of site the facility occupies. Allowable Values: Stationary Mobile Pipeline Contaminated Site Network	A(20)	'STATIONARY'
Source of Data	The source of the associated facility site data.	A(25)	'TRI REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'
Environmental Int The environmental perr	erest mits and regulatory programs that apply to the facility site.		
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site. Allowable Values: Value Meaning TRI Reporter Toxic Release Inventory Report	A(60)	'TRI REPORTER'
Environment al Information System Abbreviated Name	The abbreviated name that represents the name of an information management system for an environmental program.	A(20)	'TRIS'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	TRI_FACILITY. TRI_FACILITY_ID
Fed/State Indicator Code	A flag which indicates whether the facility is tracked at the federal program level, or at the State program level only. *Allowable Values: 'F' or 'S'	A(1)	'F'
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	December 31, {oldest REPORTING_YEAR}
Environmental Interest Start Date Quali fier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. Allowable Values: (examples) First Reporting Year Earliest Inspection Date First Report Received Date Operations Start Date First Report Postmark Date Monitoring Start Date Original Permit Issue Date	A(50)	'FIRST REPORTING YEAR'
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	January 1, {first year facility did not report (as determined after TRIS freeze date).
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. Allowable Values: (examples) Facility Inactive Date De-registration Effective Date Reissued as General Permit Date Final Cleanup Date The date being used as an approximation used as an approximation the date. Year Reporting Stopped Permit Expiration Date Operations End Date	A(50)	'YEAR REPORTING STOPPED'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Source of Data	The source of the associated environmental interest data.	A(25)	'TRI REPORTING FORM'
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'
Alternative Name An alternative, historic	or program-specific name for the facility site.		
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	TRI_FACILITY.MAIL_NAME {If different from FACILITY_NAME}
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local) .	A(25)	'MAILING NAME'
Source of Data	The source of the associated alternative name data.	A(25)	'TRI REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'
Alternative Identife An alternative identifier	cication If for the facility, as maintained by an information management system for an en	nvironmental pro	gram.
Alternative	The type of alternative identification number (e.g., CDS, STATE PERMIT	A(15)	'RCRAINFO'
Identification Number Type	NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).		'PCS'
			'UIC'
Alternative Identification Number	An alternative identification number maintained by an information management system for an environmental program.	A(30)	TRI_FACILITY_RCRA RCRA_NUM
			TRI_FACILITY_NPDES. NPDES_NUM
			TRI_FACILITY_UIC.UIC_NUM

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}		
Source of Data	The source of the associated alternative identification data.	A(25)	'TRI REPORTING FORM'		
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'		
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'		
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'		
A geographic point, or including the associated	Geographic Coordinates A geographic point, or set of points, defined by latitude and longitude coordinates used to locate a facility site, usually the front door or centroid, including the associated method, accuracy, and description data.				
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddddd	TRI_FACILITY. PREF_LATITUDE		
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.dddddd	TRI_FACILITY. PREF_LONGITUDE		
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters	TRI_FACILITY. PREF_ACCURACY		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}		
Geometric Type (Textu	al Data or Code Data acceptable)				
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)			
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)			
Horizontal Collection N	Method (Textual Data or Code Data acceptable)	•			
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	TRI_FACILITY. PREF_COLLECT_METH		
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)			
Horizontal Reference I	Datum (Textual Data or Code Data acceptable)				
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	TRI_FACILITY. PREF_HORIZONTAL_DATUM		
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)			
Reference Point (Textua	Reference Point (Textual Data or Code Data acceptable)				
Code	The code that represents the place for which geographic coordinates were established.	A(3)	TRI_FACILITY. PREF_DESC_CATEGORY		
Text	The text that identifies the place for which geographic coordinates were established.	A(60)			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo. Remarks: Mandatory for all horizontal data collection methods except for methods using Global Positioning System (GPS).	A(10)	TRI_FACILITY. PREF_SOURCE_SCALE
Source of Data	The source of the associated geographic coordinates data.	A(25)	'TRI REPORTING FORM'
Last Reported Date	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the intemet.	A(1)	'Y'
Organization Affil A company, governmen	iate nt body, or other type of organization that has some responsibility or role at the	e facility site.	
Affiliation Type	The name that describes the capacity or function that an organization serves for a facility site. Allowable Values (examples): Owner/Operator Operator Operator Owner Parent Company Owner	A (40)	'OWNER/OPERATOR'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Affiliation Start Date	The date on which the affiliation between the facility site and the organization began.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {of oldest submission that references this affiliation} If RECEIVED_DATE null 'July 01,(REPORTING_YEAR + 1)' {of oldest submission that references this affiliation}
Affiliation End Date	The date on which the affiliation between the facility site and the organization ended.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {when affiliation changes; becomes start_date of new affiliation} If RECEIVED_DATE null 'July 01,(REPORTING_YEAR + 1)' {when affiliation changes; becomes start_date of new affiliation}
E-mail Address	The text that describes an electronic mail address of an organization.	A(120)	
Telephone Number	The primary telephone number of an organization affiliated with the facility site.	A(30)	
FAX Number	The telephone number to which a facsimile can be sent to an organization affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an organization affiliated with the facility site.	A(30)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	TRI_FACILITY_DB. DB_NUM where ASGN_DB_IND = '1'
Organization Type	The type of organization (e.g., federal, state, private). Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(40)	If TRI_FACILITY. ASGN_FEDERAL_IND = 'C' 'PRIVATE' 'F' 'FEDERAL' 'G' 'GOVERNMENT- OWNED CONTRACTOR- OPERATED'
Company Division Name	The name of a division or a department of a company.	A(50)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Ultimate Parent Name	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)	TRI_FACILITY. PARENT_CO_NAME

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Ultimate Parent DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)	TRI_FACILITY. PARENT_CO_DB_NUM
Source of Data	The source of the associated organization data.	A(25)	'TRI REPORTING FORM'
Last Reported Date	The most recent date the corresponding organization interest data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the intemet.	A(1)	'Y'
Individual Affiliate An individual person w	e ho has some responsibility or role at the facility site.		
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples):	A (40)	'PUBLIC CONTACT'
	Regulatory Contact Public Contact Technical Contact Cognizant Official Responsible Party Emergency Contact		'TECHNICAL CONTACT' (Intranet only)

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {of oldest submission that references this affiliation} If RECEIVED_DATE null 'July 01,(REPORTING_YEAR + 1)' {of oldest submission that references this affiliation}
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {when affiliation changes; becomes start_date of new affiliation} If RECEIVED_DATE null 'July 01,(REPORTING_YEAR + 1)' {when affiliation changes; becomes start_date of new affiliation}
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	TRI_FACILITY. ASGN_PUBLIC_PHONE

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
			TRI_FACILITY. ASGN_TECNICAL_PHONE ASGN_TECHNICAL_PHONE_ EXT {concatenate only if ASGN_TECHNICAL_PHONE_ EXT is not null (Intranet only)
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname.	A(70)	TRI_FACILITY. ASGN_PUBLIC_CONTACT
			TRI_FACILITY. ASGN_TECHNICAL_ CONTACT (Intranet only)
Individual Title Text	The title held by a person in an organization.	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	
Source of Data	The source of the associated individual data.	A(25)	'TRI REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Last Reported Date	The most recent date the corresponding individual data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the intemet.	A(1)	'Y' if AFFILIATION_TYPE is 'PUBLIC CONTACT' 'N' if AFFILIATION_TYPE is 'TECHNICAL CONTACT' (Intranet only)
Mailing Address The standard address us	sed to send mail to a facility site.		
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site. Allowable Values (examples): Facility Mailing Address Primary Mailing Address Alternate Mailing Address	A (40)	'FACILITY MAILING ADDRESS'
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	TRI_FACILITY. MAIL_STREET_ADDRESS

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	TRI_FACILITY.MAIL_CITY
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	TRI_FACILITY. MAIL_STATE_ABBR
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	TRI_FACILITY. MAIL_PROVINCE
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	TRI_FACILITY.MAIL_COUNTR Y
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	TRI_FACILITY.MAIL_ZIP_COD E
Source of Data	The source of the associated mailing address data.	A(25)	'TRI REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR} + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the intemet.	A(1)	'Y'
Standard Industrial Classification Definition: The Standard Industrial Classification (SIC), or type of business activity, occurring at the facility site.			
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)	TRI_FACILITY_SIC. SIC_CODE

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)	If TRI_FACILITY_SIC. PRIMARY_IND = '1' 'PRIMARY' '0' 'SECONDARY' Else, 'UNKNOWN'
Source of Data	The source of the associated SIC data.	A(25)	'TRI REPORTING FORM'
Last Reported Date	The most recent date the corresponding SIC data was reported to the Source of Data.	Date	TRI_REPORTING_FORM. RECEIVED_DATE {from most recent REPORTING_YEAR} If RECEIVED_DATE null OR RECEIVED_DATE < December 31, (most recent REPORTING_YEAR) 'July 01,{REPORTING_YEAR + 1}'
Sensitive Indicator	Indicates whether or not the associated data is enforcement sensitive.	A(1)	'N'
Public Indicator	Indicates whether or not the associated data is accessible by the public on the internet.	A(1)	'Y'

North American Industry Classification
The North American Industry Classification System (NAICS) code, or type of industrial activity, occurring at the facility site. {No NAICS data.}

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	TRIS TABLE.COLUMN {COMMNETS}
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)	
NAICS Primary Indicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The NAICS Code represents the primary activity occurring at the facility site. Secondary The NAICS Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	
Source of Data	The source of the associated NAICS data.	A(25)	
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date	